

Mobile radio and GPS antenna NB3001



- Mobile radio and GPS antenna for mobile applications
- Compact design
- Vibration-resistant due to fixed screw connection
- Robust IP68 design

<https://www.wachendorff-prozesstechnik.de/en/NB3001>

Description


Omnidirectional mobile radio antenna and Global Positioning System (GPS), with 1.5 m cable for eWON Netbiter EC350. Mounting via M16 screw thread in the control cabinet. Gain for GPS is 28dBic.

Product details

Interfaces:	2x SMA connector
Cable:	2x 1.5 meter RG174
Mobile radio frequency range:	900 / 1800 / 1900 / 2100 MHz
Antenna gain mobile radio:	0 dBi
Global Positioning System (GPS) frequency range:	1575.42 MHz
Antenna gain Global Positioning System (GPS):	28 dBic
Impedance:	50 Ohm
Weight:	< 300 g
Dimensions:	H x W: 51.7mm (63.2mm) x Ø 68mm
Ambient temperature:	Operation: -40 °C to +75 °C Storage: -40 °C to +75 °C
Protection class:	IP68
Assembly:	M16 screw thread with nut

Drawings

Dimensions





Wachendorff Prozesstechnik GmbH & Co. KG
Industriestrasse 7 • 65366 Geisenheim
Germany

Phone: +49 (0) 67 22 / 99 65 - 20
E-Mail: wp@wachendorff.de
www.wachendorff-prozesstechnik.de

