

cMT-X M-ESP - E-Stop bypass plug for continuous safety circuit



- E-Stop bypass plug for cMT-X handheld HMIs
- Keeps the safety circuit closed during service or tool changes
- IP66 protection - dust and water resistant

<https://www.wachendorff-prozesstechnik.de/en/cmt-xm-esp>

Description

The cMT-X M-ESP is an E-Stop bypass plug that has been specially developed for cMT-X handheld HMIs. It ensures that the safety circuit remains closed even during service work or tool changes without interrupting the production flow. Thanks to its robust design and IP66 protection, the cMT-X M-ESP can be used reliably in harsh industrial environments.

Product details


Specifications:	Weight: approx. 75 g
Ambient temperature:	Operating temperature: -40°C to 85°C
Protection class:	IP66
Customs tariff number:	85371098
Manufacturer:	Weintek Labs, Inc

Products Order no.

cMT-XM-ESP	cMT-XM-ESP, robust E-Stop bypass for handheld HMIs
------------	--

Drawings

Dimensions and STEP Viewer:





Wachendorff Prozesstechnik GmbH & Co. KG
Industriestrasse 7 • 65366 Geisenheim
Germany

Phone: +49 (0) 67 22 / 99 65 - 20
E-Mail: wp@wachendorff.de
www.wachendorff-prozesstechnik.de

