

Mobile radio antenna WEW40902I



- Suitable for LTE
- Gain 0-3 dBi (depending on frequency range)
- Can be angled and rotated

<https://www.wachendorff-prozesstechnik.de/en/WEW40902I>

Description

Plug-on mobile radio antenna for direct screwing onto modems and VPN routers.

The antenna can be used at an angle of 180° or 90°. The gain is 0-3 dBi.

Product details

Interfaces:	1x SMA plug
Frequency ranges:	820MHzto 960 MHz, 1710MHzto 2170 MHz, 2300MHzto 2700 MHz
Antenna gain:	0 / 2 / 3 dBi
Impedance:	50 Ohm
Art:	Omnidirectional antenna
Weight:	approx. 37g
Dimensions:	H x W: 219 mm x 26mm
Ambient temperature:	Operation: -30 °C to +60 °C Storage: -30 °C to +60 °C

Products Order no.

WEW40902I	Clip-on mobile phone antenna GSM, 2G/GPRS, 3G/UMTS/HSPA, 4G/LTE Can be angled 90° and 180
-----------	---

Drawings
Dimensions





Wachendorff Prozesstechnik GmbH & Co. KG
Industriestrasse 7 • 65366 Geisenheim
Germany

Phone: +49 (0) 67 22 / 99 65 - 20
E-Mail: wp@wachendorff.de
www.wachendorff-prozesstechnik.de

