

## Mobile radio antenna WEW409021



- Suitable for LTE
- Gain 0-3 dBi (depending on frequency range)
- Can be angled and rotated

<https://www.wachendorff-prozesstechnik.de/en/WEW409021>

### Description

Plug-on mobile radio antenna for direct screwing onto modems and VPN routers.

The antenna can be used at an angle of 180° or 90°. The gain is 0-3 dBi.

### Product details


|                      |  |
|----------------------|--|
| Interfaces:          | 1x SMA plug  |
| Frequency ranges:    | 820MHzto 960 MHz,<br>1710MHzto 2170 MHz,<br>2300MHzto 2700 MHz |
| Antenna gain:        | 0 / 2 / 3 dBi  |
| Impedance:           | 50 Ohm   |
| Art:                 | Omnidirectional antenna  |
| Weight:              | approx. 37g  |
| Dimensions:          | H x W: 219 mm x 26mm   |
| Ambient temperature: | Operation: -30 °C to +60 °C<br>Storage: -30 °C to +60 °C       |

### Products Order no.

|           |   |
|-----------|---|
| WEW409021 | Clip-on mobile phone antenna GSM,<br>2G/GPRS, 3G/UMTS/HSPA, 4G/LTE<br>Can be angled 90° and 180 |
|-----------|---|

Drawings

Dimensions





Wachendorff Prozesstechnik GmbH & Co. KG  
Industriestrasse 7 • 65366 Geisenheim  
Germany

Phone: +49 (0) 67 22 / 99 65 - 20  
E-Mail: [wp@wachendorff.de](mailto:wp@wachendorff.de)  
[www.wachendorff-prozesstechnik.de](http://www.wachendorff-prozesstechnik.de)

