

## Ewon Flexy expansion card 2xSerial (RS232/422/485)



- Expansion card for Ewon Flexy base modules
- 1 serial interfaces (RS232/422/485)
- 1 serial interfaces (RS232)

<https://www.wachendorff-prozesstechnik.de/en/fla3301>

### Description

This expansion card for the Ewon Flexy base modules offers two additional serial interfaces, which can be used as I/O or VCOM interfaces.

The first interface is a combined RS232/422/485 interface, which is set via a DIP switch.

The second is a pure RS232 interface.

### Product details

Interfaces:	1x RS232/422/485 with 9-pin. SUB-D pin 1x RS232 with 9pol. SUB-D pin
Possible baud rates:	600 to 115200 kbit/s
Power supply:	About the basic module
Weight:	< 300 g
Operating temperature:	-25 °C to +60 °C
Storage:	-40 °C to +70 °
Relative humidity:	10 % to 95 %, non-condensing
Protection class:	IP20
Manufacturer:	HMS Industrial Networks AB

### Products Order no.

FLA3301	Expansion card with 2 serial interfaces
---------	---

Drawings

Wiring diagram

Anschlussbezeichnung Sub-D-9pol. Stecker				
	Pin	RS232	RS485	RS422
	1	-	-	-
	2	RxD	-	Rx+
	3	TxD	A+	Tx+
	4	-	-	-
	5	GND	GND	GND
	6	-	-	-
	7	RTS	-	Rx-
	8	CTS	B-	Tx-
	9	-	-	-



Wachendorff Prozesstechnik GmbH & Co. KG  
Industriestrasse 7 • 65366 Geisenheim  
Germany

Phone: +49 (0) 67 22 / 99 65 - 20  
E-Mail: [wp@wachendorff.de](mailto:wp@wachendorff.de)  
[www.wachendorff-prozesstechnik.de](http://www.wachendorff-prozesstechnik.de)

